

**सिपेट : पेट्रोकेमिकल्स तकनीकी
संस्थान (आई.पी.टी.)**

(पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान)

रसायन एवं पेट्रो-रसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

प्लॉट : नं 630 फेज-4, जी.आई.डी.सी., वटवा, अहमदाबाद-382445.

दूरभाष : (079) 40103900-902 फैक्स : (079)-40083905

ईमेल : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

वेबसाइट : www.cipet.gov.in

मुख्यालय : सिपेट, गिण्डी, चेन्नै - 600 032



सिपेट CIPET



**CIPET : INSTITUTE OF PETROCHEMICALS
TECHNOLOGY (IPT)**

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Plot No. 630, Phase-IV, G.I.D.C., Vatva, Ahmedabad-382445

Tele. : (079) 40103900-902, 925, Fax : (079) 40083905

Email : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

Web. : www.cipet.gov.in

Head office : CIPET, Guindy, Chennai - 600 032

प्लास्टिक परीक्षण केंद्र / PLASTIC TESTING CENTRE

श्रृंखला:बी / Series : C

परीक्षण रिपोर्ट / TEST REPORT

क्र.सं / S.L. No.

23481

को जारी / Issued to : **Pugmark Foods India Private Limited**

B/1002, Parksyde Residency,

Sr. No. 6/1B, 6/C, 6/1 D Wadala Pathardi Road,

Nashik - 422 010 Maharashtra

रिपोर्ट सं / Test Report No : **2331**

दिनांक / Dated : **10.09.2024**

संदर्भ / Your Ref. No. : **Letter**

दिनांक / Dated : **13.08.2024**

मानक के अनुसार टेस्ट रिपोर्ट

Test Report as per Standard :

As per part C

PART A

PARTICULARS OF SAMPLE SUBMITTED

a) Name of Sample (as stated by party)	:	Industrial Grade Compostable Packaging Material
b) Grade / variety / type / size / class	:	NA
c) Declared value, if any	:	NA
d) Code No.	:	Sample ID : IGPM
e) Batch No. and Date of Manufacture	:	NA
f) Quantity	:	4 Nos.
g) Mode of Packing	:	Packed in bag
h) Date of Receipt	:	22.08.2024
i) Date of Starting	:	28.08.2024
j) Date of Completion	:	09.09.2024
k) Sealed or not	:	NA
l) Any other information	:	NA

PART B

SUPPLEMENTARY INFORMATION

a) Reference to sampling procedure	:	Samples Supplied by the Party
b) Supporting documents for the measurement taken and result derived	:	As per Part C
c) Deviation from the test method as prescribed in relevant work Instructions, if any	:	Not Applicable

1 of 2

सिपेट : पेट्रोकेमिकल्स तकनीकी
संस्थान (आई.पी.टी.)

(पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान)

रसायन एवं पेट्रो-रसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

प्लॉट : नं 630 फेज-4, जी.आई.डी.सी., वटवा, अहमदाबाद-382445.

दूरभाष : (079) 40103900-902 फैक्स : (079)-40083905

ईमेल : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

वेबसाइट : www.cipet.gov.in

मुख्यालय : सिपेट, गिण्डी, चेन्नै - 600 032



CIPET : INSTITUTE OF PETROCHEMICALS
TECHNOLOGY (IPT)

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Plot No. 630, Phase-IV, G.I.D.C., Vatva, Ahmedabad-382445

Tele. : (079) 40103900-902, 925, Fax : (079) 40083905

Email : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

Web. : www.cipet.gov.in

Head office : CIPET, Guindy, Chennai - 600 032

प्लास्टिक परीक्षण केंद्र / PLASTIC TESTING CENTRE

Industrial Grade Compostable Packaging
Material

Test Report No.: 2331
Dated : 10.09.2024

PART C
TEST RESULTS

Sr. No.	Test	Test Method	Unit	Results Obtained
1	Water Vapour Transmission Rate (WVTR) at 33°C temp., 90% RH	ASTM F 1249	gr/m ² /24 hrs	23.89

Note : i) Statement of Conformity & Decision Rule (if any) : NA
ii) Opinion & Interpretation : NA

PART D

REMARKS : Nil

NOTE

- 1 The results related only to the items tested
- 2 The report shall not be reproduced in full/part without written approval of the laboratory
- 3 This Test Report/Certificate is issued only for the samples submitted to CIPET.
- 4 The results stated above related only to the items tested.
- 5 The quality of the subsequent production lot has to be ensured by the purchaser.

Authorised Signatory

भरत के. एल / BHARATH K. L.
तकनीकी अधिकारी / TECH. OFFICER

Authorised Signatory
कीर्ति त्रिवेदी / KIRTI TRIVEDI

वरि. तक. अधिकारी / SR. TECH. OFFICER